



Depth colour key:

|             |
|-------------|
| < 3.00      |
| 3.00 - 3.49 |
| 3.50 - 3.99 |
| 4.00 - 4.49 |
| 4.50 - 4.99 |
| 5.00 - 5.49 |
| 5.50 - 5.99 |
| 6.00 - 6.49 |
| >=6.50      |

638800 E 163800 N

### SHORELINE SURVEYS LTD

Hydrographic — Geophysical — Topographic

Worfield Hill, Weston, Gloucester, Glos GL2 8BA  
Telephone: +44 1259 69824 or +44 7260 038373  
email@shorelinesurveys.com www.shorelinesurveys.com

**TITLE**  
Bathymetric survey within Ramsgate Harbour —  
Ramsgate Newport — Approaches West

**CLIENT**  
Thanet District Council

**PROJECT**  
Q2 May 2023 scheduled survey

**PROJECT NO** 22215  
**Scale:** 1:1250  
**Date:** 24.05.23  
**Drawn by:** PLM/F  
**Checked by:** PL  
**Surveyed by:** PLM/F  
**Drawn by:** PLM/F  
**Checked by:** PL

### BATHYMETRIC SURVEY

Conducted in OSDB16 using OSN15.

Depths below Chart Datum (CD) in metres.

CD taken as 2.28 metres below Ordnance Datum Meanyr (ODN).

Units: 0.05m. Tidal and WAD data post-processed using PIPAC.

Soundings spaced at 5 metre intervals using IHD rounding rules.

Contours at 0.50 metre intervals.

Survey coverage is not 100%.

Bed mounted obstructions are not certifiably detected.

Single beam line spacing: 20 metres.

Channel extents.

